


Title: METHOD FOR PREPARING LANGERHANS CELL FROM HUMAN PERIPHERAL BLOOD MONONUCLEAR CELL, I.E., CD14-POSITIVE CELL, USING NOTCH LIGAND DELTA-1, GM-CSF, AND TGF-B (As Amended)

TGF-β *(As Amended)*Inventor(s): Naoyuki KATAYAMA et al.
DOCKET NO.: 081356-0255




Fluorescence intensity

.

GM-CSF/ IL-15/ Delta-1

<u>-</u>ig. 2

TGF-β (As Amended)
Inventor(s): Naoyuki KATAYAMA et al.
DOCKET NO.: 081356-0255



Fluorescence intensity

3/11




Fig. 4

Title: METHOD FOR PREPARING LANGERHANS CELL FROM HUMAN PERIPHERAL BLOOD MONONUCLEAR CELL, I.E., CD14-POSITIVE CELL, USING NOTCH LIGAND DELTA-1, GM-CSF, AND TGF-β (As Amended)
Inventor(s): Naoyuki KATAYAMA et al. DOCKET NO.: 081356-0255






Fig. 5



Title: METHOD FOR PREPARING LANGERHANS CELL FROM HUMAN PERIPHERAL BLOOD MONONUCLEAR CELL, I.E., CD14-POSITIVE CELL, USING NOTCH LIGAND DELTA-1, GM-CSF, AND

TGF-β (As Amended)
Inventor(s): Naoyuki KATAYAMA et al.
DOCKET NO.: 081356-0255

Title: METHOD FOR PREPARING LANGERHANS CELL FROM HUMAN PERIPHERAL BLOOD MONONUCLEAR CELL, I.E., CD14-POSITIVE CELL, USING NOTCH LIGAND DELTA-1, GM-CSF, AND TGF-β (As Amended) Inventor(s): Naoyuki KATAYAMA et al. DOCKET NO.: 081356-0255






Fig. /

Title: METHOD FOR PREPARING LANGERHANS CELL FROM HUMAN PERIPHERAL BLOOD MONONUCLEAR CELL, I.E., CD14-POSITIVE CELL, USING NOTCH LIGAND DELTA-1, GM-CSF, AND TGF-β (As Amended)
Inventor(s): Naoyuki KATAYAMA et al. DOCKET NO.: 081356-0255




Fig. 8

Title: METHOD FOR PREPARING LANGERHANS CELL FROM HUMAN PERIPHERAL BLOOD MONONUCLEAR CELL, I.E., CD14-POSITIVE CELL, USING NOTCH LIGAND DELTA-1, GM-CSF, AND TGF-β (As Amended)
Inventor(s): Naoyuki KATAYAMA et al. DOCKET NO.: 081356-0255

